

Advantages :

- ▶ जमीन टेस्टिंग की जरूरत नहीं है।
- ▶ माटी के खोदकाम की जरूरत नहीं है।
- ▶ पुराने से पुराना अर्थिंगकी वेल्यु ले सकते हो।
- ▶ सरलता से जमीन रेसीटन्स पे ईस्तेमाल कर सकते हो।
- ▶ डीझाईन किया हुआ हरेक प्रकार के जमीन के खड्डे के लीए उपयोगी।
- ▶ हरेक माटी की सुसंगतता के लीए उपयोगी।
- ▶ प्रतिरोधकता मोसमो की कम-ज्यादा मे उपयोगी।
- ▶ 12 साल से सभी लोगो की पसंद JBR अर्थिंग।



Shree Ramdev Metal Industries

ALL KIND OF NON FERROUS METAL & EARTHING MATERIAL MERCHANT

📍 **OFFICE ADDRESS :-**
Shop No.4 Shree Krishna Complex,
Gandhi Road, Ahmedabad 380001
✉ shreeramdevmetalindustries@gmail.com
🌐 www.shreeramdevmetalindustries.com

Naresh Bhai
Mo. 9824649214 Ph. 079-22155387
Mo. 8128442380

📍 **FACTORY ADDRESS :-**
Shed No. 4, Shyam Estate,
Gulabnagar Road, Nagarwel Temple,
Rakhial, Ahmedabad.

Navin Bhai
Mo. 9824636453 Ph.: 079-22160799

॥ Jay Baba Ramdev ॥

समय के पास
इतना **समय** नहीं
की वो आपको
दोवारा **समय** दे सके।



▼ क्या आप आपके अर्थिंग वेल्यु को
कम करना चाहते हैं ?
50% से कम वेल्यु.

- ▶ Premium Quality
- ▶ Fast Service
- ▶ Best Rate



Shree Ramdev Metal Industries


ALL KIND OF NON FERROUS METAL & EARTHING MATERIAL MERCHANT
Manufacture Earthing Materials Electricals Suppliers



GI Chemical Earthing Rod



Copper Bonded & Pure Copper
Chemical Earthing Rod



Size 40mm 1mtr.
Size 40mm 2mtr.
Size 40mm 3mtr.

Size 50mm 1mtr.
Size 50mm 2mtr.
Size 50mm 3mtr.

Size 60mm 1mtr.
Size 60mm 2mtr.
Size 60mm 3mtr.

Size 80mm 2mtr.
Size 80mm 3mtr.

Size 100mm 3mtr.

Chemical Bag 15kg / 25kg




Earthing Strip Sleeve Cover

All size available



Copper Fecsbil Strip All size available



Earthing Chamber All size available



CI Chamber

PVC Chamber

Strip / Pipe Clamp All size available




Lightning Arrester



Size 25mm Pipe 1mtr.
Size 25mm Pipe 2mtr.

Lightning Arrester
Size 17mm 1mtr. Solid Rod
Size 25mm 1mtr. Solid Rod



Copper Bonded Solid Erthing Rod
Size 17mm 1mtr.
Size 17mm 2mtr.
Size 17mm 3mtr.
Size 20mm 1mtr.
Size 20mm 2mtr.
Size 20mm 3mtr.
Size 25mm 1mtr.
Size 25mm 2mtr.
Size 25mm 3mtr.



Solar Earthing Kit



Solar Set Kit
Size 14mm 1.5mtr. 3 Pieces
Size 17mm 1mtr. Lighting Arrester and PVC Pipe
Chemical Bag : 15kg



GI Funnel Pipe



GI B Class Funnel Pipe



Lighting Pole



GI Strip & Flat



GI & GP Pipe
All Size Available



Lighting Pole




GI Wire



aluminum bus bar
& Strip All Size Available

COPPER	: Basbar, Patti, Wire, Earthing Plate, Flexible Braided Strip, Sheet, Rod, Pipe, Erester Available In All Size And Gauges.
G.I.PATTI	: 25 X 3- 25 X 5 - 32 X 6 40 X 6- 50 X 6 (in Available Ready Stock) Hot Deep Galvanize Will Make In Order.
G.I. PLATE	: Earthing Plate, C.I & M.s. In Electro & Hot Deep Galvanize Available In All Size.
G.I. PIPE	: Watering Earthing Pipe With Hole & Fennel 20 mm, 25mm, 40mm, 50mm, 2mit, & 3mit, ready available in Stock.
G.I. WIRE	: G.I. Wire available in all guage.
C.I.CHAMBER COVER:	12"x12"-18"-24" x 24" Henges with lock & Plane
ALLUMINIUM	: Basbar Patti, Flatbar, Wire, Sheet Plate, Pipe, Section Coil and Rod available in all sizes and guages.
BRASS	: Sheet, Plate, Rod, Patti, Pipes, Wire, etc.
STAINLESS STEEL	: Sheet, Plate, Coil, Patti, Pata, Rod, Pipes Angles all in 304, 316, 321 quality available, Nut-Bolt, Pipe Fitting & Flanges.
LEAD	: Sheet, Plate, Pies available.



Copper Soled Rod



Copper Wire



GI Casting Plate & GI MS Plate



Earthing Plate & Pipe Strip Set



Copper Earting Plate
All size available
1mm, 2mm, 3mm, 5mm, 6mm



Operating Rod




Earthing Spreeng



Copper Strip



GI Perforated Cable Tray & Lather type



GI Hot Dip Earthing Rod

WEGHT OF G.I.STRIP / KG. / MT.							
Width mm		Thick mm	Weight Kg. Gms	Width mm		Thick mm	Weight Kg. Gms
25	X	3	0.600	65	X	10	5.100
25	X	6	1.200	65	X	12	6.120
32	X	6	1.500	75	X	6	3.530
32	X	3	0.750	75	X	10	5.890
40	X	6	1.880	75	X	12	7.070
50	X	6	2.500	100	X	6	4.710
50	X	10	3.930	100	X	10	7.850
50	X	12	4.710	100	X	10	9.420
65	X	6	3.060				

WEGHT G.I. WIRE / KG. / MT.							
Width mm		Thick mm	Weight Kg. Gms	Width mm		Thick mm	Weight Kg. Gms
4	X	5.892	0.216	12	X	2.641	0.045
6	X	4.876	0.148	14	X	2.032	0.026
8	X	4.046	0.103	16	X	1.625	0.017
10	X	3.251	0.066	18	X	1.250	0.010

SIZE OF G.I. PLATE			
300 X 300 X 5 mm	600 X 600 X 6 mm		
450 X 450 X 5mm	600 X 600 X 10 mm		
600 X 600 x 5mm	600 X 600 X 12 mm		

C.I. CHAMBER COVER (Hanges with Lock)			
mm	Inch	mm	Inch
300 X 300	12 X 12	450 X 450	18 X 18

C.I. CHAMBER COVER			
mm	Inch	mm	mm
250 X 250	10 X 10	450 X 450	18 X 18
300 X 300	12 X 12	600 X 600	24 X 24

CABLE TRAY				
SIZE		LENGTH	GAUGE	
50	X 25	2.5 Mtr.	16 & 18 Gauge	
50	X 50	2.5 Mtr.	16 & 18 Gauge	
50	X 75	2.5 Mtr.	16 & 18 Gauge	
100	X 25	2.5 Mtr.?	16 & 18 Gauge	
100	X 50	2.5 Mtr.	16 & 18 Gauge	
100	X 75	?2.5 Mtr.	16 & 18 Gauge?	
150	X 25	2.5 Mtr.	16 & 18 Gauge	
150	X 50	2.5 Mtr.?	16 & 18 Gauge?	
150	X 75	2.5 Mtr.	16 & 18 Gauge	
200	X 25	2.5 Mtr.?	16 & 18 Gauge	
200	X 50	2.5 Mtr.	16 & 18 Gauge	
200	X 75	2.5 Mtr.?	16 & 18 Gauge	
300	X 25	2.5 Mtr.?	16 & 18 Gauge	
300	X 50	2.5 Mtr.	16 & 18 Gauge	
300	X 75	2.5 Mtr.	16 & 18 Gauge?	
400	X 50	2.5 Mtr.	16 & 18 Gauge	
500	X 50	2.5 Mtr.	16 & 18 Gauge	
600	X 50	2.5 Mtr.	16 & 18 Gauge	

WEGHT OF COPPER STRIP / KG. / MT.							
Width mm		Thick mm	Weight Kg. Gms	Width mm		Thick mm	Weight Kg. Gms
12	X	3	0.380	50	X	3	1.522
12	X	5	0.570	50	X	5	2.262
12	X	6	0.761	50	X	6	3.044
19	X	3	0.570	50	X	10	4.527
19	X	5	0.856	50	X	12	6.089
19	X	6	1.141	50	X	16	7.611
25	X	3	0.761	62	X	6	3.805
25	X	5	1.14	62	X	10	5.708
25	X	6	1.522	62	X	12	7.611
25	X	10	2.263	62	X	16	9.515
25	X	12	3.044	75	X	6	4.567
32	X	3	0.952	75	X	10	6.850
32	X	5	1.427	75	X	12	9.134
32	X	6	1.903	75	X	16	11.417
32	X	10	2.854	100	X	6	6.089
38	X	3	1.141	100	X	10	9.055
38	X	5	1.712	100	X	12	12.179
38	X	6	2.283	100	X	16	15.223
38	X	10	3.425	125	X	6	7.609
38	X	12	4.567	125	X	10	11.414
38	X	12	5.708	125	X	12	15.219
38	X	16	5.708	150	X	6	9.131
				150	X	10	13.697
				150	X	12	18.263
				150	X	16	22.833

WEGHT OF COPPER WIRE KG/MT						
Guage	mm	Weight Kg. Gms	Guage	mm	Weight Kg. Gms	
3	6.400	0.287	12	X 2.640	0.049	
6	4.876	0.166	14	X 2.032	0.027	
8	4.064	0.116	16	X 1.625	0.018	
10	3.231	0.075	18	X 1.214	0.010	

WEGHT OF COPPER WIRE KG/MT											
Width mm		Thick mm			Weight Kg. Gms	Guage			mm		Weight Kg. Gms
150	X	150	X	3	0.671	300	X	300	X	3	2.685
225	X	225	X	3	1.458	450	X	450	X	3	5.832
600	X	600	X	3	10.740	600	X	600	X	6	21.480